				II A TYPE A	men /	DET	3/\	I. DATE	(TYM	1(200)		Form	Approved		1
REQUEST	FOR DEV	LATIO	UN / V	VALVER (	Kru /	PLF 1	יי		0102	15			NO. 1784-		
1 PROCUEING ACTIVITY										7					
Starting saliting on secrets, partners in secrets, partners of the collection of information indeeding suggestions for reducing this burden to Washington requested of any other supert of this collection of information indeeding suggestions for reducing this burden to Washington and Supering Services, Services, Services Se															
Office of Management of															
COLUMN BYTHIN BY	WOM THE !	COVER	INMENI	ISSUING CO	MILAL		OFFIC	PL LAW	HE						- 1
CONTRACT / PR	DCURING ACT	IVITY	NUMBE	r listed if	ILEM 3	UP	THIS	ORM.			4-	(X ONE)			
4 ORIGINATOR			L ADDR	EES (Brees, Cig.	Shale, Jip C	eas)					5	DEVIATE	w X	WAIVE	۱ I
a. TYPED NAME FA	ret, Middle Initial -L	AST)			797 CL						1	(X ONE)			
FN MANUFA	CTURING, IN	NC.		C	OLUMB	ilA,	S.C.	29229			<u> </u>	MAJOR	<u> </u>	CRITIC	:AI.
											4.	OTHER SY	erria /		
1. DESIGNATION		/WAIV	ER.			4.		IE AFFEC		ALLOCATE		RATION II			1
a. MODEL/TYPE	b. CACE CODE	c. 5Y5		C DEV/WAIV		anonyo-						l yes	Γx	_	- 1
RIFLE	FLE   38679   M16A2/   0046-W-0003   A								^	1	- 1				
M16A4											一				
IL TITLE OF BEVERTOR / WAIVER															
Special Pack	ging Instru	ctions			12 800	700	NG CON	TRACTING	OFF	CXR					
11. CONTRACT NO. AND LINE ITEM  DAAE20-86-C-0382, DAAE20-00-D-0048  12. PROCURRING CONTRACTING OFFICER  NAME (First & Middle, Loss)											_]				
UAAE20-	P COD					6 TEL	EPHÓNI	NO.							
DAGEZU-69-C-0122										$\Box$					
F. CONTRODUCTO		_ CD 1		h ber		c 1	EFECT CL	SELFICA	TION			. 1			
,		BLK 22	:	BL	K22	X	MINOR		MAJOR		CRITICAL	١			
·												_			
15. NAME OF LOT	MODIFICAT			)	<u> </u>		IL PA	IT NO. OR	TYM	DESIGNAT	MON				
	pecial Paci										34900				- 1
1	poolet i do	a.									97300				∤
17. EPPECTIVITY						-			18.	RECURENCE			IAKK		*
		UPC	N APP	PROVAL						YES	X				괵
IP. EFFECT ON C		-			3A EFFI	ict o	M DELI	ERY SCH		IF APP	ROVE	ם			圖
21. REFECT ON	NONE IF AP	PKOV	/EU	ANT INTERES	CE OR SE		ARR		ONE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
31. RPPECT ON	INTERGRATED I	.061317	CS SUFF	OKI, HIIBAFA	NO E	FFE	CT								8
22. DESCRIPTION	OF DEVIATION	IAW \ I	VER	·····											
Permissio	n to use  Wi	ap 220	119, Ty	pe il curre	ntly bei	ng s	upplic	ed by V	endo	or. This	Vendo	r is cur	rentiy	DOI OU	' I
The QPL II	sting.	•		•											
															_
23 NEED FOR W	AIVER												- less 6	ADTE	•
Currently receiving Wrap Type II from Vendor. Wrap is made to MIL-PRF-22019D, TYPE II. Made by CORTEC															
Laborator	ies. ( Sec A	Itachn	nent A	, B, C }											
24. CORRECTIVE ACTION TAKEN															
Cortec Laboratories along with FNMI are pursuing the qualification to the QPL Listing of Cortec Laboratories															
or a change to the Special Packaging Instructions. (See Attachment D)															
			•	•	•										
25. SUBMITTING												<del>A</del>			
. TYPED NAME	(First , Middle Initi	d ,Last)	b. 737	LE					" '	GNATURE	) [	1			
Jaffin	ey Rankin		l	DIRECTO	R.CO	NTI	RACT	S		レメ		K			
26. (APPROVAL/I	DISAPPENDAL 14	Imn					IOYAL			DISAPP	ROYAL				
APPROVAL	VIMOD /		e. 60	VERNMENT A	TIVITY				7						
APPROVED	DISAPPR	OVED	<u> </u>										D) & 4750	SIGNED	
	(Pine, Middle Initi	ed ,	e SIC	NATURE								•	CYYNN		
LASTI															
b . APPROVAL	WIMOD	<del></del>	e GO	VERNMENT A	TIVITY										
APPROVED		OYED		OM-ARDE		TA-	AR-CC	1.F							
Rônald E. Els	(First , Middle Febri	d Last)		NATURE		//			11			6	DATE	i <b>icnid</b> Doi	
Chief, CCAC F				A Property of the second	nels		9	A	9			شا	200	702	27
WIND! VOLV!	TIVU OLTIBIO	ODE I	eem –				/								

Statement D, DeD & Contractor

SMCAR-CCL-L

(controlling DeD Office)

ATTACHMENT A

breary 16, 2001

Cortes Corporation

ther is to confirm that Cor-Pak VCI Cold Seal Pilm meets the requirements or more to to contain the Car-Pak VCI Law Sou Pieu mean the requirement that in Mil-PRF-22019D, Type 2. This specification deals with the cold seal types Therible, transported burder materials with voluble contains inhabitum. Whom It May Concern.

you would any further information feel free to contact suc.

1-429-1100 cal 166

the bringspelenning

Mar on a pe

HOLLING CONNECTED

PF:61 1062-91-624

ASTACHMENT B

SPECIAL	PACKAGING	INSTRUCTION	(Continued)

NATIONAL STOCK NUMBER 1005-01-128-9936 SPI NUMBER (PN)

AM 9349000

## PACKAGING MATERIALS

PIN	DRAWING	ITEM AND SIZE	S-ECHTCATION	STYLE	TYPE	Olun-		YAPPIY	CITY PER
1		BARRIER MATERIAL, TRANSPARENT, VCI TREATED	MIL-B-22019		I OR II				A/R
2		BAG	MIL-8-117		I		8		A/R
3	B7246299	BORE TUBE, VCI TREATED P/N 8444072 1005-00-187-3536							1
4		BOX , FIBERBOARD (41 X 9 1/2 X 3 1/2 LD.) MANUFACTURERS JOINT MUST BE SECURED WITH METAL FASTENERS	PPP-B-636	RSC		WSG	·		1
5		FIBERBOARD , BLOCKING (BARREL)	PPP-F-230 (SEE SHEET 4)						1
6		FIBERBOARD , BLOCKING (BUTTSTOCK)	PPP-F-320 (SEE SHEET 6)						1
7		TAPE	PPP-T-76						A/R
-							<del></del>		

NOMENCLATURE RIFLE ASSEMBLY , M16A2
AMCCOM Form 3576-R, 1 AUG. 84

STROMMENT C

Special Packa	GING IN	STRUC	TION	Form Approved GMB No. 6704-0185						
PART OF SHAMING ME. HOMENS ALLE		1 COUR MARKIN	E ST III. (AMP12873001							
12973001 M16AA RWFLE	4 2.2 5	1 BATE OF SAMERLESS	E. #BH46H/ \$N/LHO. -/L7K2036							
4 MATIONAL BROCK MANOER 1006013832872				11, UNIT PARK SEE (PARKS) (PARK)						
7. GUP 0. 100 1. U 1/AY 0.6	MT PACK WT.	AN PA	10. UNIT PACK OU (CU. PT) (P. 100) 0.87	40.8 x 9.7 x 9.8						
	6 6 pg	AR	PRESERVATIVE, VV-L-000 SHE NOTE C 7200250 VCI TREATED BORE TURE.							
12. LILITARY PRESERVATION	<b>]</b> :	AR	TYPE IN SEE HOUSE	STYPE I OR						
MIL-810-2073-1,METHOD 33	<b>⊿</b> ₄	1 2 4	TALER SHE HOLES	WINE WAS BEET						
IS. GLEAGIC	7	1	NOTE F	mari e sec TVBS						
- SEE HOTE A	<b>_</b>  ⁵	1	CONTAINER, ASTM D \$118, COR, GRADE Was, CLASS W	m						
14, GRYING	•		BAG, ML-B-117, 117E L CL	199 B, 444						
- SEE NOTE B	<del>,</del> , ,	1	CLOSURE, ASTM D 1974, SE	aling method B						
	-		1							
A UPVEL A	1	}	,							
MIL-8TD-2073-1C	-			•						
	1	i .								
ML-87D-2073-1C	_	<u> </u>								
MIL-STD-128 NOTE 1	1.									
IV. ROTESTANDAS  "UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCOMDANCE WITH PARAGRAPH \$2.1 OF MIL-STD-2673-10.  WEIGHTS AND SIZES AND SIZES AND SIZES AND MAY VARY SLIGHTLY.  INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCOMDANCE WITH SPECIFICATION MIL-STD-2073-10 OR AS OTHERWISE SPECIFIED HEREON.										
A) THE RIFLE SHALL BE DISASSIMBLED AS NECESSARY TO ACCOMPLISH THE REQUIRED CLEANING. ALL METALLIC SURFACES SHALL BE CLEANED WITH P-D-608, NONMETALLIC SURFACES SHALL BE CLEANED BY ANY PROCESS THAT DOES NOT DAMAGE THE ITEM, SURFACES OF COMPONENTS SUBJECTED TO BURNED POWDER TRESIDUES, SUCH AS THE BOLT AND BOLT CARRIER ASSEMBLY, FIRMED PH, BAPWEL BORE AND CHAMSER, ETO., SHALL BE SCRUBBED CLEAN WITH BRISTLE SRUSHES ANDIOR SWABS SATURATED WITH RIFLE BORE CLEANER, MIL-C-372. FLUSH THE SCRUBBED SURFACES WITH SOLVENT P-D-480.										
B) all cleaned suffaces shall be thoroughly dried prior to preservative application. Drying shall be with prepared compressed air, execpt for the barrel bore, chairber, and flash suppresor, which shall be dried by withing with clean, lint-free swads.										
1	C) Preservative shall be applied to all metallic suffaces of the fifte by shushing on spraying. Excess of shall be thoroughly dramed from the coated suffaces. The preserved rifle shall be allowed to dram for a minimum of one hour prior to continuing with the packaging process, vci threated material shall be used in accordance with mill-8574 and metricion specific herein.									
C) PRESERVATIVE SHALL BE APPLE BRUSHING OR SPRAYING. EXCESS GOATED SURFACES. THE PRESERV MINIMUM OF ONE HOUR PRIOR TO TREATED MATERIAL SHALL BE USE	ED TO ALL OIL SHALL ED RIFLE SONTENUES O IN ACC	MALL I MALL I M WITH MADANC	Droughly Gramed From T BE ALLOWED TO BRAIN FOR THE PACKAGING PROCESS. E WITH MIL-1-4574 AND INSTR	RY NE A VCI UGTION						
G) PRESERVATIVE SHALL BE APPLE BRUSHING OR SPRAYING. EXCESS GOATED SURFACES. THE PRESERV HIMMUN OF ONE HOUR PRIOR TO GITREAYED MATERIAL SHALL BE USE SPECIFIED HEREIN.  5) ASSUME THAT THE HAMMER IS IN AND THE PRING PORT GOVER IS LABARREL.	THE PIRI	ED POST HUT. INI	ION (AGAINST THE BOLT CAT JERT VCI BORE TUBE INTO	CH).						
C) PRESERVATIVE SHALL BE APPLE BRUSHING OR SPRAYING. EXCESS GOATED SURFACES. THE PRESERV MINIMUM OF ONE HOUR PRIOR TO TREATED MATERIAL SHALL BE USE	THE PIRI	ED POST HUT. INI	ion (against the Bolt Cat Bert you bore tube into Completely seal around :	CH).						

#### Tom Nelson

TTACHMENT

From: To:

"Brian Torppey" <torppeyb@home.com>
"Tom Nelson" <torm.nelson@cortacvci.com>

Ce: Sent:

<torppeyb@home.com> Monday, February 19, 2001 9:19 PM RE: Show-off Cortec at Corrosion Summit Subject:

Tom.

Yes, this is the same situation. The government contract quality specialist at FN comacted the Product Manager for the M-16 rifle here at Picatinny, who forwarded the message to the design engineer, who forwarded the message to me.

It would be great if four small samples of the Cortec cold seal material could be shipped to my team leader, Tony D'Angelo, at Picatinny. That way he can show the material to the Product Manager and the design engineer for the M-16. Also, if possible, could you have sent to Tony one small sample of the Ivex material for comparison. Then, on the government side of the house, after I get agreement from the people at Picatinny, I would write a new Special Packaging Instruction document calling out the Cortec material

### My team leader's address:

US Army TACOM-ARDEC ATTN: AMSTA-AR-WEP (Tony D'Angelo) **Bldg 455** Picatinny Arsenal, NJ 07806-5000

Brian

Original Message

From: Tom Nelson [mailto:tom.nelson@cortecvei.com]

Sent: Monday, February 19, 2001 9:57 AM

To: Brian Torppey Cc: Lee Boutelle; Anna Vignetti

Subject: Re: Show-off Cortec at Corrision Summit

#### Brian,

It is good to hear from you. We have a cold seal material that is not QPL listed, but is being speced in for the use at FN Mfg for the M-16. We are currently working with a distributor on the cold seal bags for this application. Maybe this is the same one you are talking about.

We are not replacing a Ludlow product, but rather an Ivex cold scal product.

We will be able to make a cold scal bag, identical to the one that is currently being used.

This will match Mil B-22019C. Please let me know if this is what you are referring to and what samples you would like.



# DEPARTMENT OF THE ARMY UNITED STATES ARMY TAME - AUTOMOTIVE AND ARMAHENTE COMMAND 1 ROCK ISLAND ARBEITAL ROCK ISLAND, ELINOIS 01209-7130 28 Peb 2001

MINIMUM OF CIEW Served Mespons Contracting Team

SUBJECT: Request for Walver Lissios for spare parts for the M340/M345 Machine Guns and M16 Rifle

Mr. Joe Taylor PM Manufacturing Inc. 797 Cleason Road Columbia, South Carolina 29229

Dear Mr. Taylor:

Enclosed approved Request for Waiver (RFW) L186108 is proposed for incorporation into the following purchase orders/contracts in accordance with PAR 52.243-1, Changes Clause.

DAAE20-99-D-0104 with Mary Robbins
DAAE20-00-D-0081 with Teresa Stottlemyre
DAAE20-99-C-0127 with Daniel Thorpe
DAAE20-99-D-0100 with Teresa Stottlemyre
DAAE20-00-D-0002 with Sheri Gross
DAAE20-01-P-0006 with Sheri Gross
DAAE20-01-P-0094 with Sue McGrogor
DAAE20-99-D-0116 with Teresa Stottlemyre
DAAE20-00-D-0009 with Teresa Stottlemyre

Please note RFW Lissios can only be used through 31 Aug 2001.

If you can incorporate this change at no cost to the government and no change to the delivery schedule, please have an authorised representative sign the acknowledgment below. This letter becomes your authorisation to proceed with the RFW.

Your authorized representative's signature signifies your agreement to the change and your willingness to incorporate this at no cost to the government and no change to the delivery schedule. This change is effective on the date you sign the acknowledgment.

SIGNATURE DATE 28 Feb 01

Typed Name Ron Vallee Title Director, Finance

If you cannot incorporate this RFW at no cost to the government and ho change to the delivery schedule, please notify the point of contact by 7 Mar 01 and provide a firm cost proposal/delivery schedule. If you plan to submit a cost proposal do not incorporate this RFW until the contracting officer authorises you to do so.

ACATH HUBIH HE LAN

2

The point of contact is Teresa Stottlemyre, NASTA-LC-CSCA, (309) 782-4626, data fax (309) 782-3813, electronic mail stottlemyratoria.army.mil.

sincerely.

Contracting Officer

Enclosure

Copy Furnished: DCMC Atlanta, Attn: Karen Benner DCMC Atlanta, Terry Smith e/o FMMI